EU

### Safety data sheet according to 1907/2006/EC, Article 31

Version number 1 Revision: 29.09.2023 Printing date 29.09.2023 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: KKD Antibeschlag-Gel · Article number: according to Catalog · 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU20 Health services • Environmental release category ERC2 Formulation into mixture · Application of the substance / the mixture Dental material · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Supplier: Kentzler-Kaschner Dental GmbH Mühlgraben 36 D-73479 Ellwangen Tel: +49/7961/90730 Fax: +49/7961/52031 E-Mail: info@kkd-topdent.de · Further information obtainable from: During normal business hours Monday-Thursday 08:30 - 12:30 and 13:00 - 16:30 CET Friday 08:30 - 12:30 and 13:00 - 15:00 CET • 1.4 Emergency telephone number: Vergiftungs-Informations-Zentrale Freiburg, Tel. +49 761 19240 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labelling: Isotridecanol, ethoxyliert · Hazard statements H318 Causes serious eye damage. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P280 Wear eye protection / face protection. (Contd. on page 2)

Revision: 29.09.2023

Printing date 29.09.2023

Version number 1

Trade name: KKD Antibeschlag-Gel

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310

Immediately call a POISON CENTER/doctor.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

**SECTION 3: Composition/information on ingredients** 

#### · 3.2 Mixtures

· Description: Dental material

· Dangerous components:				
CAS: 9043-30-5	Isotridecanol, ethoxyliert	📀 Eye Dam. 1, H318	10-25%	
CAS: 577-11-7 EINECS: 209-406-4		Acute Tox. 4, H302; Eye Irrit. 2, H319	10%	
· Additional informati	on: For the wording of the listed	hazard phrases refer to section 16.		

### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

· General information:

Take affected persons out of danger area and lay down.

Do not leave affected persons unattended.

Take affected persons out into the fresh air.

• After inhalation: Take affected persons into fresh air and keep quiet.

- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Inform doctor. Do not give milk or fatty oils.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet

- 5.2 Special hazards arising from the substance or mixture Carbon dioxide (CO2)
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions: Dilute with plenty of water.

(Contd. on page 3)



Version number 1

Revision: 29.09.2023

Trade name: KKD Antibeschlag-Gel

Printing date 29.09.2023

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

 $\cdot$  6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: None.
- · Storage class: Storage class : 2 A
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:
- Filter type A2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Fluorocarbon rubber (Viton)

Butyl rubber, BR

Recommended material thickness:

Butylkautschuk: 0,50 mm +/- 0,10 mm

Fluorkautschuk: 0,75 mm +/- 0,10 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• *Penetration time of glove material Basis: DGUV 212-007* 

(Contd. on page 4)



Version number 1

Revision: 29.09.2023

Printing date 29.09.2023

Trade name: KKD Antibeschlag-Gel

(Contd. of page 3)

Permeation (Fluorkautschuk): + Level 6 (> 240 min)

*Permeation (Butykautschuk): + Level 6 (> 480 min) The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.* 

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

• For the permanent contact gloves made of the following materials are suitable: Fluorocarbon rubber (Viton)

Butyl rubber, BR

• Not suitable are gloves made of the following materials: PVC gloves

· Eye/face protection Goggles recommended during refilling

#### **SECTION 9: Physical and chemical properties**

•9.1 Information on basic physical and chemical p	roperties
· General Information	
· Colour:	Light orange colour
· Odour:	Weak, characteristic
· Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
• Boiling point or initial boiling point and boiling	
range	Undetermined.
· Flammability	Not applicable.
• Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	90 °C
• Decomposition temperature:	Not determined.
• <i>pH at 20 °C</i>	7
· Viscosity:	
Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	>0 hPa
· Density and/or relative density	
· Density at 20 °C:	1.01 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health an	d
environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	100.0 %
· Change in condition	
· Evaporation rate	Not determined.
	(Contd. on page 5)



E0 -

Printing date 29.09.2023

Version number 1

Revision: 29.09.2023

Trade name: KKD Antibeschlag-Gel

		(Contd. of page 4
Information with regard to physical hazard of	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: Temperatures >40°C

Direct sunlight

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Open fire, hot surfaces, high temperatures
- · 10.5 Incompatible materials: oxidants, acids, bases
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

None of the ingredients is listed.

(Contd. on page 6)

EU



<sup>·</sup> Endocrine disrupting properties

Revision: 29.09.2023

Printing date 29.09.2023

KASCHNE Denta

Version number 1

Trade name: KKD Antibeschlag-Gel

(Contd. of page 5)

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

07 06 01\* aqueous washing liquids and mother liquors

· Uncleaned packaging:

- · Recommendation: Disposal must be made according to official regulations.
- *Recommended cleansing agents:* Water, if necessary together with cleansing agents.

SECTION 14: Transport information	on	
14.1 UN number or ID number	Not applicabel	
· 14.2 UN proper shipping name	Not applicable	
· 14.3 Transport hazard class(es)	Not applicabel	
· 14.4 Packing group	Not applicable	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.	
· ADR · Excepted quantities (EQ)	Code: Maximum net quantity per inner packaging: Maximum net quantity per outer packaging:	
Remarks:	No Dangerous Goods	

EU

Printing date 29.09.2023

Version number 1

Revision: 29.09.2023

Trade name: KKD Antibeschlag-Gel

(Contd. of page 6)

· IMDG

• Excepted quantities (EQ) • Remarks:

• **Kemu**r

KASCHNI **Denta** 

 $\cdot IATA$ 

· Remarks:

Not restricted

No Dangerous Goods

Code: --

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 $\cdot$  Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Created 11.09.2023 EC-SD No. 451 formerly KKD Anti-Fog Cleaner No. 281

Relevant phrases
H302 Harmful if swallowed.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

• Department issuing SDS: LOGAR Günther Hasel e.K. Baden-Airpark, Toronto Avenue B 207 D-77836 Rheinmünster Tel: +49(0)7229-1868-163 Fax: +49(0)7229-1868-165 • Contact: info@logar.de

(Contd. on page 8)

EU

Version number 1

Revision: 29.09.2023

(Contd. of page 7)

### Trade name: KKD Antibeschlag-Gel

Printing date 29.09.2023

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

