

Safety Datasheet

according to 1907/2006/EC, Article 31

Printing date 19.07.2018

Version number 3

Revision: 18.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** *Clearsplint CAD/CAM Pro - liquid*
- **Article number:** *according to Catalog*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** *SU20 Health services*
- **Environmental release category** *ERC2 Formulation into mixture*
- **Application of the substance / the mixture** *Dental material*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 - Manufacturer:*
 - Astron Dental Corporation*
 - 815 Oakwood Road, Unit G*
 - Lake Zurich, IL. 60047 (USA)*
 - E-Mail: customerservice@astrondental.com*
 - Supplier:*
 - Kentzler-Kaschner Dental GmbH*
 - Mühlgraben 36*
 - D-73479 Ellwangen*
 - Tel: +49/7961/90730*
 - Fax: +49/7961/52031*
 - E-Mail: info@kkd-topdent.de*
- **Further information obtainable from:**
 - During normal business hours*
 - Monday-Thursday 08:30 - 12:30 and 13:00 - 16:30 CET*
 - Friday 08:30 - 12:30 and 13:00 - 15:00 CET*
- **1.4 Emergency telephone number:** *Vergiftungs-Informations-Zentrale Freiburg, Tel. +49 761 19240*

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
 - The product is classified and labelled according to the CLP regulation.*
- **Hazard pictograms**



GHS07

- **Signal word** *Warning*
- **Hazard-determining components of labelling:**
 - 2-ethoxyethyl methacrylate*

(Contd. on page 2)

GB

Safety Datasheet

according to 1907/2006/EC, Article 31

Printing date 19.07.2018

Version number 3

Revision: 18.07.2018

Trade name: CLEARsplint CAD/CAM Pro - liquid

(Contd. of page 1)

- **Hazard statements**

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

- **Precautionary statements**

- P210 Keep away from heat. - No smoking.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves / eye protection / face protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P321 Specific treatment (see on this label).
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P362 Take off contaminated clothing.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container to to according to local regulations, the disposal company

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

- **Description:** Dental material

- **Dangerous components:**

CAS: 2370-63-0	2-ethoxyethyl methacrylate	70-90%
EINECS: 219-135-3	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
Index number: 607-134-00-4		

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information:**

- Take affected persons out of danger area and lay down.
- Do not leave affected persons unattended.
- Take affected persons out into the fresh air.
- **After inhalation:** Take affected persons into fresh air and keep quiet.
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Inform doctor. Do not give milk or fatty oils.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **For safety reasons unsuitable extinguishing agents:** Water with full jet

- **5.2 Special hazards arising from the substance or mixture** Carbon dioxide (CO₂)

(Contd. on page 3)

Safety Datasheet

according to 1907/2006/EC, Article 31

Printing date 19.07.2018

Version number 3

Revision: 18.07.2018

Trade name: CLEARsplint CAD/CAM Pro - liquid

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:**
Do not spray onto a naked flame or any incandescent material.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:**
Filter type A2
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
Fluorocarbon rubber (Viton)
Butyl rubber, BR
Recommended material thickness:
Butylkautschuk: 0,50 mm +/- 0,10 mm
Fluorkautschuk: 0,75 mm +/- 0,10 mm
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. on page 4)

Safety Datasheet

according to 1907/2006/EC, Article 31

Printing date 19.07.2018

Version number 3

Revision: 18.07.2018

Trade name: CLEARsplint CAD/CAM Pro - liquid

(Contd. of page 3)

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

Basis: DGUV 212-007

Permeation (Fluorkautschuk): + Level 6 (> 240 min)

Permeation (Butykautschuk): + Level 6 (> 480 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- **For the permanent contact gloves made of the following materials are suitable:**

Fluorocarbon rubber (Viton)

Butyl rubber, BR

- **Not suitable are gloves made of the following materials:**

Chloroprene rubber, CR

PVC gloves

- **Eye protection:** Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Fluid

Colour: Light yellow

- **Odour:** Recognisable

- **Odour threshold:** Not determined.

- **pH-value:** Not determined.

- **Change in condition**

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 91 °C

- **Flash point:** Not applicable.

- **Flammability (solid, gas):** Not applicable.

- **Decomposition temperature:** Not determined.

- **Auto-ignition temperature:** Product is not selfigniting.

- **Explosive properties:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

- **Vapour pressure:** Not determined.

- **Density at 20 °C:** 1 g/cm³

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

- **Partition coefficient: n-octanol/water:** Not determined.

- **Viscosity:**

Dynamic: Not determined.

Kinematic: Not determined.

(Contd. on page 5)

Safety Datasheet
according to 1907/2006/EC, Article 31

Printing date 19.07.2018

Version number 3

Revision: 18.07.2018

Trade name: CLEARsplint CAD/CAM Pro - liquid

(Contd. of page 4)

· Solvent content:

Solids content: 25.0 %

· 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Open fire, hot surfaces, high temperatures
- **10.5 Incompatible materials:** oxidants, acids, bases
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**
May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

GB

(Contd. on page 6)

Safety Datasheet
according to 1907/2006/EC, Article 31

Printing date 19.07.2018

Version number 3

Revision: 18.07.2018

Trade name: CLEARsplint CAD/CAM Pro - liquid

(Contd. of page 5)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

18 02 06	chemicals other than those mentioned in 18 02 05
18 02 08	medicines other than those mentioned in 18 02 07
20 01 32	medicines other than those mentioned in 20 01 31

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN-Number**

--

· **ADR, ADN, IMDG, IATA**

Void

· **14.2 UN proper shipping name**

--

· **ADR, ADN, IMDG, IATA**

Void

· **14.3 Transport hazard class(es)**

--

· **ADR, ADN, IMDG, IATA**

· **Class**

Void

· **14.4 Packing group**

--

· **ADR, IMDG, IATA**

Void

· **14.5 Environmental hazards:**

Not applicable.

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**

Not dangerous according to the above specifications.

· **ADR**

· **Remarks:**

No Dangerous Goods

· **IMDG**

· **Remarks:**

No Dangerous Goods

· **IATA**

· **Remarks:**

Not restricted

· **UN "Model Regulation":**

Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 7)

Safety Datasheet
according to 1907/2006/EC, Article 31

Printing date 19.07.2018

Version number 3

Revision: 18.07.2018

Trade name: CLEARsplint CAD/CAM Pro - liquid

(Contd. of page 6)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· **Department issuing SDS:**

LOGAR Günther Hasel e.K.

Baden-Airpark, Airport Boulevard B 210

D-77836 Rheinmünster

Tel: +49(0)7229-1868-163

Fax: +49(0)7229-1868-165

· **Contact:** *info@logar.de*

· **Date of preparation / last revision** *13.07.2018*

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

GB