GB

# Safety data sheet scording to 1907/2006/EC, Article 31

according to 1907/2006/EC, Article 31 Version number 1 Revision: 15.03.2017 Printing date 15.03.2017 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: KKD RimOral - Powder · Article number: according to Catalog · 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU20 Health services • Environmental release category ERC2 Formulation into mixture · Application of the substance / the mixture Dental material · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Kentzler-Kaschner Dental GmbH Mühlgraben 36 D-73479 Ellwangen Tel: +49/7961/90730 Fax: +49/7961/52031 E-Mail: info@kkd-topdent.de · Further information obtainable from: During normal business hours Monday-Thursday 08:30 - 12:30 and 13:00 - 16:30 CET Friday 08:30 - 12:30 and 13:00 - 15:00 CET · 1.4 Emergency telephone number: Vergiftungs-Informations-Zentrale Freiburg, Tel. +49 761 19240 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS01 exploding bomb Unst. Expl. H200 Unstable explosives. GHS09 environment Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. GHS07 Eve Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS01 GHS07 GHS09 · Signal word Danger (Contd. on page 2)

KASCHNE **Denta** 

Version number 1 Revision: 15.03.2017 Printing date 15.03.2017 (Contd. of page 1) · Hazard-determining components of labelling: dibenzoyl peroxide dicyclohexyl phthalate · Hazard statements H200 Unstable explosives. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P373 DO NOT fight fire when fire reaches explosives. P321 Specific treatment (see on this label). P380 Evacuate area. P401 Store in accordance with local/regional/national/international regulations. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable.

· vPvB: Not applicable.

KASCHN Denta

### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Dental material

· Dangerous components:

CAS: 94-36-0	dibenzoyl peroxide	10-13%
EINECS: 202-327-6	🤣 🚯 Org. Perox. B, H241; 🚯 Eye Irrit. 2, H319; Skin Sens. 1, H317	
	dicyclohexyl phthalate	1-3%
EINECS: 201-545-9	🚯 Skin Sens. 1A, H317	
· Additional informati	con. For the wording of the listed hazard phrases refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

· General information:

Take affected persons out of danger area and lay down.

Do not leave affected persons unattended.

Take affected persons out into the fresh air.

· After inhalation: Take affected persons into fresh air and keep quiet.

· After skin contact: If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: Inform doctor. Do not give milk or fatty oils.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

GB

Printing date 15.03.2017

Version number 1

Revision: 15.03.2017

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Carbon dioxide (CO2)
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Stockages VDS 3103

Store only in the original receptacle.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- Storage class: Storage class: 5.2
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

94-36-0 dibenzoyl peroxide

WEL Long-term value: 5 mg/m<sup>3</sup>

84-61-7 dicyclohexyl phthalate

WEL Long-term value: 5 mg/m<sup>3</sup>

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:

· General protective and hygienic measures: Wash hands before breaks and at the end of work.

(Contd. on page 4)



<sup>· 8.1</sup> Control parameters

Version number 1 Revision: 15.03.2017 Printing date 15.03.2017 (Contd. of page 3) · Respiratory protection: DGUV 112-190 Breathing apparatus Suitable respiratory protective device recommended. Particle filter P2 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. · Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves Fluorocarbon rubber (Viton) Butyl rubber, BR Recommended material thickness: Butylkautschuk: 0,50 mm +/- 0,10 mm Fluorkautschuk: 0,75 mm +/- 0,10 mm The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material Basis: DGUV 212-007 Permeation (Fluorkautschuk) + Level 6 (> 480 min) Permeation (Butykautschuk): + Level 6 (> 480 min) The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. • For the permanent contact gloves made of the following materials are suitable: Fluorocarbon rubber (Viton) Butyl rubber, BR · Not suitable are gloves made of the following materials: Neoprene gloves Natural rubber, NR · Eye protection: Tightly sealed goggles

· 9.1 Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Like powder	
Colour:	White	
· Odour:	Odourless	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	nge: Undetermined.	

Printing date 15.03.2017	Version number 1	Revision: 15.03.201
		(Contd. of page 4
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion	on hazard.
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	l hPa	
· Density at 20 °C:	1.23 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	100.0 %	
· 9.2 Other information	No further relevant information avai	lable.

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

KASCHN DENTA

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Open fire, hot surfaces, high temperatures
- · 10.5 Incompatible materials: oxidants, acids, bases
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- $\cdot$  Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 15.03.2017

Version number 1

Revision: 15.03.2017

(Contd. of page 5)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

 $\cdot$  European waste catalogue

07 07 99 wastes not otherwise specified

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN3106	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG, IATA</li> </ul>	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. ORGANIC PEROXIDE TYPE D, SOLID	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA		
· Class	5.2 Organic peroxides.	
· Label	5.2	
	(Contd. on page	



Printing date 15.03.2017

KASCHNI **Denta** 

Version number 1

Revision: 15.03.2017

	(Contd. of page 6
14.4 Packing group	Not applicable
14.5 Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Organic peroxides.
Danger code (Kemler):	5.2
EMS Number:	F-J,S-R
Stowage Category	D
Stowage Code	SW1 Protected from sources of heat.
Segregation Code	SG35 Stow "separated from" acids.
	SG36 Stow "separated from" alkalis.
14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	500 g
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	(D)
IMDG	
Limited quantities (LQ)	500
Excepted quantities $(EQ)$	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOU
č	SUBSTANCE, SOLID, N.O.S., 9, III

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- P1a EXPLOSIVES
- E1 Hazardous to the Aquatic Environment
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 10 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 50 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H241 Heating may cause a fire or explosion.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

(Contd. on page 8)

Printing date 15.03.2017 Version number 1

Revision: 15.03.2017

	(Contd. of page
De	epartment issuing SDS:
	OGAR Günther Hasel e.K.
	aden-Airpark, Airport Boulevard B 210
	-77836 Rheinmünster
	2l: +49(0)7229-1868-163
	ax: +49(0)7229-1868-165
Ca	o <b>ntact:</b> info@logar.de
Al	bbreviations and acronyms:
AĽ	DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation
Ca	urriage of Dangerous Goods by Road)
IM	IDG: International Maritime Code for Dangerous Goods
IA'	TA: International Air Transport Association
	HS: Globally Harmonised System of Classification and Labelling of Chemicals
	NECS: European Inventory of Existing Commercial Chemical Substances
	INCS: European List of Notified Chemical Substances
	AS: Chemical Abstracts Service (division of the American Chemical Society)
	BT: Persistent, Bioaccumulative and Toxic
	vB: very Persistent and very Bioaccumulative
	nst. Expl.: Explosives – Unstable explosive
	g. Perox. B: Organic peroxides – Type B
	e Irrit. 2: Serious eye damage/eye irritation – Category 2
	in Sens. 1: Skin sensitisation – Category 1
	in Sens. 1A: Skin sensitisation – Category 1A
Aq	uatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1



.